## PATENT APPLICATION

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Docket No: Q68895

Shinji YAMAMORI, et al.

Appln. No.: 10/092,591

Group Art Unit: 1797

Confirmation No.: 1085

Examiner: Keri A. MOSS

Filed: March 8, 2002

For:

SENSOR FOR MEASURING CARBON DIOXIDE IN RESPIRATORY GAS

## EXCESS CLAIM FEE PAYMENT LETTER

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

An Amendment Under 37 C.F.R. § 1.111 is attached hereto for concurrent filing in the above-identified application. The resulting excess claim fee has been calculated as shown below:

	After Amendment		Highest No. Previously Paid For					
All Claims	32		21 =	11	X	\$50.00	= \$550.00	
Independent	6	_	4 =	2	X	\$210.00	= \$420.00	

TOTAL = \$970.00

The statutory fee of \$970.00 is being charged to Deposit Account No. 19-4880 via EFS Payment Screen. The USPTO is directed and authorized to charge all required fees, except for the Issue Fee and the Publication Fee, to Deposit Account No. 19-4880. Please also credit any overpayments to said Deposit Account.

Respectfully submitted,

Registration No. 55,154

David P. Emery

SUGHRUE MION, PLLC Telephone: (202) 293-7060

Facsimile: (202) 293-7860

WASHINGTON DC SUGHRUE/265550

65565 CUSTOMER NUMBER

Date: March 6, 2008